CDMI Extension: CIMI

Version 1.1a

"Publication of this Working Draft for review and comment has been approved by the Cloud Storage Technical Working Group. This draft represents a "best effort" attempt by the Cloud Storage Technical Working Group to reach preliminary consensus, and it may be updated, replaced, or made obsolete at any time. This document should not be used as reference material or cited as other than a 'work in progress.' Suggestion for revision should be directed to http:/snia.org/feedback."

Working Draft

Revision History

Date	Version	By	Comments
08-28-2014	1.1a	Marie McMinn, Cloud TWG Editor	New version of CIMI extension created for the CDMI 1.1.0 revision of the standard. Derived from the 1.0g draft.

CIMI CDMI Extension

This extension to the CDMI international standard supports the DMTF CIMI Standard (DSP 263), which is used to manage an IaaS cloud. Both of these standards can be used together to manage data and storage for IaaS clouds.

Modifications to the CDMI 1.1.0 spec:

The changes are as follows:

- Support for exporting containers to Cloud Infrastructure Management Interface (CIMI) machines and having them appear as CIMI volumes

1) Insert into Clause 2 Normative References

DSP 0263

Cloud Infrastructure Management Interface (CIMI) Specification

2) Insert into Clause 3 Terms:

3.x
Cloud Infrastructure Management Interface
CIMI
a DMTF standard for managing IaaS

3) Add a table entry to the end of Table 100 in 12.1.1 System-Wide Capabilities as follows:

Capability Name	Type	Definition
cdmi_export_cimi	JSON String	If present and "true", this capability indicates that the cloud storage system supports CIMI exports.

4) Add a table entry to the end of Table 104 in 12.1.5 Capabilities for Containers as follows:

Capability Name	Type	Definition
cdmi_export_cimi	JSON String	If present and "true", this capability indicates that the container supports CIMI exports.

5) Substitute into 13.1 - <entire section>:

For all occurrences of “OCCI” in this section, add references to “CIMI” such that the section reads as follows:

CDMI™ containers are accessible not only via CDMI as a data path, but also via other protocols as well. This access is especially useful for using CDMI as the storage interface for a cloud-computing environment, as Figure 8 shows.



Figure 8 - CDMI and OCCI/CIMI in an Integrated Cloud Computing Environment

The exported protocols from CDMI containers may be used by the virtual machines in the cloud-computing environment as virtual disks on each guest as shown. The cloud computing infrastructure management is shown as implementing either an Open Cloud Computer Interface (OCCI) or a CIMI along with the CDMI interface. With the internal knowledge of the network and the virtual machine manager's mapping of drives, this infrastructure may associate the CDMI containers to the guests using the appropriate exported protocol.

To support exported protocols and improve their interoperability with CDMI, CDMI provides a type of exported protocol that contains information obtained via the CIMI interface or the OCCI interface. In addition, both CIMI and OCCI provide a type of storage that corresponds to a CDMI

container that is exported with a specific type of protocol used by either CIMI or OCCI. A client of both interfaces performs operations that align the architectures, including the following.

- The client creates a CDMI container through the CDMI interface and exports it as either an OCCI export protocol type or a CIMI protocol type. The CDMI container objectID is returned as a result.
- The client creates a virtual machine through either the OCCI interface or the CIMI interface and attaches a storage volume of type CDMI using the objectID and protocol type.
- The client updates the export protocol structure of the CDMI container object with the CIMI or OCCI virtual machine URI to allow the virtual machine access to the container.
- The client starts the virtual machine through the CIMI or OCCI interface.

6) Insert new subclause after 13.6 OCCI Exported Protocol:

13.7 CIMI Exported Protocol

CDMI defines an export protocol structure for the DMTF standard: CIMI for each type of network interface as follows:

- Protocol is "CIMI:<protocol>" where <protocol> is one of NFS, CIFS, or iSCSI.
- The required and optional parameters are as specified in 13.4, 13.5, and 13.7 respectively.

EXAMPLE An example of a CIMI NFS export protocol structure in JSON is as follows:

```
"CIMI:NFS" :
{
    ...
    {"no_wdelay", "true" },
    {"refer", "otherserver://path/leaf"},
}
```